

CPC**COOPERATIVE PATENT CLASSIFICATION****D06N**

WALL, FLOOR OR LIKE COVERING MATERIALS, e.g. LINOLEUM, OILCLOTH, ARTIFICIAL LEATHER, ROOFING FELT, CONSISTING OF A FIBROUS WEB COATED WITH A LAYER OF MACROMOLECULAR MATERIAL; FLEXIBLE SHEET MATERIAL NOT OTHERWISE PROVIDED FOR (laminates in general [B32B](#) ; coated webs which retain the character of paper or cardboard [D21](#))

NOTE

Layered products classified in this subclass are also classified in subclass [B32B](#) .

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

[D06N 7/02](#) covered by [D06M](#) , [D06N](#)
[D06N 7/04](#) " " [D06M](#) , [D06N](#)
[D06N 7/06](#) " " [D06M](#) , [D06N](#)

D06N 1/00

Linoleum { e.g. linoxyn, polymerised or oxidised resin }

D06N 3/00

Artificial leather, oilcloth or { other } material obtained by covering fibrous webs with macromolecular material, e.g. resins, rubber or derivatives thereof

D06N 3/0002

. { characterised by the substrate }

D06N 3/0004

.. { using ultra-fine two-component fibres, e.g. island/sea, or ultra-fine one component fibres (< 1 denier) }

D06N 3/0006

.. { using woven fabrics }

D06N 3/0009

.. { using knitted fabrics }

D06N 3/0011

.. { using non-woven fabrics }

D06N 3/0013

.. { using multilayer webs }

D06N 3/0015

.. { using fibres of specified chemical or physical nature, e.g. natural silk }

D06N 3/0018

... { Collagen fibres or collagen on fibres }

D06N 3/002

... { Asbestos fibres }

D06N 3/0022

... { Glass fibres }

D06N 3/0025

... { Rubber threads; Elastomeric fibres; Stretchable, bulked or crimped fibres; Retractable, crimpable fibres; Shrinking or stretching of fibres during manufacture; Obliquely threaded fabrics }

D06N 3/0027

.... { Rubber or elastomeric fibres }

WARNING

Groups [D06N 3/0027-D06N 3/0031](#) are not complete, pending reorganisation. See also [D06N 3/0025](#)

- D06N 3/0029 { Stretchable fibres; Stretching of fibres during manufacture }
- D06N 3/0031 { Retractable fibres; Shrinking of fibres during manufacture }
- D06N 3/0034 . . . { Polyamide fibres (for elastomeric fibres [D06N 3/0025](#)) }
- D06N 3/0036 . . . { Polyester fibres (for elastomeric fibres [D06N 3/0025](#)) }
- D06N 3/0038 . . . { Polyolefin fibres (for elastomeric fibres [D06N 3/0025](#)) }
- D06N 3/004 . . { using flocked webs or pile fabrics upon which a resin is applied; Teasing, raising web before resin application }

- D06N 3/0043 . { characterised by their foraminous structure; Characteristics of the foamed layer or of cellular layers (foraminous structure obtained by stretching [D06N 3/0029](#)) }
- D06N 3/0045 . . { obtained by applying a ready-made foam layer; obtained by compressing, crinkling or crushing a foam layer, e.g. Kaschierverfahren für Schaumschicht }
- D06N 3/0047 . . { obtained by incorporating air, i.e. froth }
- D06N 3/005 . . { obtained by blowing or swelling agent }
- D06N 3/0052 . . { obtained by leaching out of a compound, e.g. water soluble salts, fibres or fillers; obtained by freezing or sublimation; obtained by eliminating drops of sublimable fluid }
- D06N 3/0054 . . { obtained by mechanical perforations }

- D06N 3/0056 . { characterised by the compounding ingredients of the macro-molecular coating } ([D06N 3/005](#) takes precedence)
- D06N 3/0059 . . { Organic ingredients with special effects, e.g. oil- or water-repellent, antimicrobial, flame-resistant, magnetic, bactericidal, odour-influencing agents; perfumes } ([D06N 3/0065](#) takes precedence)
- D06N 3/0061 . . { Organic fillers or organic fibrous fillers, e.g. ground leather waste, wood bark, cork powder, vegetable flour; Other organic compounding ingredients; Post-treatment with organic compounds }
- D06N 3/0063 . . { Inorganic compounding ingredients, e.g. metals, carbon fibres, Na₂CO₃, metal layers; Post-treatment with inorganic compounds }
- D06N 3/0065 . . { Organic pigments, e.g. dyes, brighteners }
- D06N 3/0068 . . { Polymeric granules, particles or powder, e.g. core-shell particles, microcapsules }

- D06N 3/007 . { characterised by mechanical or physical treatments ([D06N 3/0029](#), [D06N 3/0031](#) take precedence) }
- D06N 3/0072 . . { Slicing; Manufacturing two webs at one time }
- D06N 3/0075 . . { Napping, teasing, raising or abrading of the resin coating (raising, napping of the web before coating [D06N 3/004](#)) }
- D06N 3/0077 . . { Embossing; Pressing of the surface; Tumbling and crumbling; Cracking; Cooling; Heating, e.g. mirror finish }
- D06N 3/0079 . . { Suction, vacuum treatment }
- D06N 3/0081 . . { by wave energy or particle radiation ([D06N 3/08](#) takes precedence) }
- D06N 3/0084 . . { by electrical processes, e.g. potentials, corona discharge, electrophoresis, electrolytic }

- D06N 3/0086 . { characterised by the application technique }
- D06N 3/0088 . . { by directly applying the resin ([D06N 3/0045](#) takes precedence) }
- D06N 3/009 . . . { by spraying components on the web (powder [D06N 3/0093](#)) }

- D06N 3/0093 . . . { by applying resin powders; by sintering }
- D06N 3/0095 . . { by inversion technique; by transfer processes }
- D06N 3/0097 . . . { Release surface, e.g. separation sheets; Silicone papers }

- D06N 3/02 . with cellulose derivatives

- D06N 3/04 . with macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds
- D06N 3/042 . . { Acrylic polymers ([D06N 3/045](#) takes precedence) }
- D06N 3/045 . . { with polyolefin or polystyrene (co-)polymers }
- D06N 3/047 . . { with fluoropolymers }
- D06N 3/06 . . with polyvinylchloride or its copolymerisation products { ([surface treatment or foaming for floor coverings D06N 7/0007](#)) }
- D06N 3/065 . . . { PVC together with other resins except polyurethanes (with polyurethanes [D06N 3/144](#)) }
- D06N 3/08 . . . with a finishing layer consisting of polyacrylates, polyamides or polyurethanes { or polyester }
- D06N 3/10 . . with styrene-butadiene copolymerisation products { or other synthetic rubbers or elastomers except polyurethanes }
- D06N 3/103 . . . { Thermosetting synthetic rubbers }
- D06N 3/106 . . . { Elastomers }

- D06N 3/12 . with macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds, { e.g. gelatine proteins }
- D06N 3/121 . . { with polyesters, polycarbonates, alkyds ([oils D06N 3/16](#)) }
- D06N 3/123 . . . { with polyesters }
- D06N 3/125 . . { with polyamides }
- D06N 3/126 . . . { Poly-amino acids, e.g. polyglutamates }
- D06N 3/128 . . { with silicon polymers }
- D06N 3/14 . . with polyurethanes
- D06N 3/141 . . . { mixture of two or more polyurethanes in the same layer }
- D06N 3/142 . . . { mixture of polyurethanes with other resins in the same layer }
- D06N 3/143 { with polyurethanes and other polycondensation or polyaddition products, e.g. aminoplast }
- D06N 3/144 { with polyurethane and polymerisation products, e.g. acrylics, PVC }
- D06N 3/145 . . . { two or more layers of polyurethanes }
- D06N 3/146 . . . { characterised by the macromolecular diols used }
- D06N 3/147 . . . { characterised by the isocyanates used }
- D06N 3/148 { (cyclo)aliphatic polyisocyanates }

- D06N 3/16 . with oil varnishes { i.e. drying oil varnishes, preferably linseed-oil-based; factice ([sulfurised oils](#)), Turkish birdlime, resinates reacted with drying oils; naphthenic metal salts }

- D06N 3/18 . with two layers of different macromolecular materials ([D06N 3/08](#) takes precedence); { ([with two layers of the same kind of macromolecular material D06N 2213/03](#)) }
- D06N 3/183 . . { the layers are one next to the other }

WARNING

Groups [D06N 3/183](#) and [D06N 3/186](#) are not complete, pending reorganisation. See also [D06N 3/18](#)

[D06N 3/186](#) . . { one of the layers is on one surface of the fibrous web and the other layer is on the other surface of the fibrous web }

[D06N 5/00](#) { Roofing materials comprising a fibrous web coated with bitumen or another polymer, e.g. pitch (compositions of bituminous materials [C08L 95/00](#), roof covering [E04D 5/00](#), roofing underlays [E04D 12/002](#)) }

[D06N 5/003](#) . { coated with bitumen }

[D06N 5/006](#) . . { characterised by the means to apply it to a support or to another roofing membrane, e.g. self-adhesive layer or strip }

[D06N 7/00](#) **Flexible sheet materials not otherwise provided for, e.g. textile threads, filaments, yarns or tow, glued on macromolecular material,** { e.g. fibrous top layer with resin backing, plastic naps or dots on fabrics }

[D06N 7/0002](#) . { Wallpaper or wall covering on textile basis }

WARNING

groups [D06N 7/00A](#), [D06N 7/00D-D06N 7/0097](#) are not complete, pending reorganisation. See also [D06N 7/00](#)

[D06N 7/0005](#) . { Floor covering on textile basis comprising a fibrous substrate being coated with at least one layer of a polymer on the top surface }

[D06N 7/0007](#) . . { characterised by their relief structure }

[D06N 7/001](#) . . . { obtained by mechanical embossing }

[D06N 7/0013](#) . . . { obtained by chemical embossing ([chemisches Prägen](#)) }

[D06N 7/0015](#) { use of inhibitor for the blowing agent or inhibitor for the kicker e.g. trimellitic anhydride, triazole }

[D06N 7/0018](#) { use of kicker for the blowing agent, e.g. Beschleunigungsverfahren }

[D06N 7/0021](#) { use of a swelling agent }

[D06N 7/0023](#) . . . { obtained by physical means, e.g. differential heating or differential irradiation; masking certain areas during treating }

[D06N 7/0026](#) . . . { obtained by moulding, e.g. moulding table ([tapis moule](#)) }

[D06N 7/0028](#) . . { characterised by colour effects, e.g. craquelè, reducing gloss ([terrazzo by sintering D06N 7/0057](#)) }

[D06N 7/0031](#) . . . { mixture of two or more dyes, pigments, brighteners in the same layer }

[D06N 7/0034](#) . . . { two or more different colour layers }

[D06N 7/0036](#) . . { characterised by their backing, e.g. secondary backing, back-sizing }

[D06N 7/0039](#) . . { characterised by the physical or chemical aspects of the layers }

[D06N 7/0042](#) . . . { Conductive or insulating layers; Antistatic layers; Flame-proof layers }

[D06N 7/0044](#) . . . { Sealing or barrier layers, e.g. against solvents, asphalt, plasticisers }

- D06N 7/0047 . . . { Special extra layers under the surface coating, e.g. wire threads }
- D06N 7/0049 { Fibrous layer(s); Fibre reinforcement; Fibrous fillers }
- D06N 7/0052 . . . { Compounding ingredients, e.g. rigid elements ([compounding ingredients of the macromolecular coating D06N 3/0056](#)) }
- D06N 7/0055 { Particulate material such as cork, rubber particles, reclaimed resin particles, magnetic particles, metal particles, glass beads }
- D06N 7/0057 . . . { Layers obtained by sintering or glueing the granules together }
- D06N 7/006 . . { characterised by the textile substrate as base web ([for intermediate fibrous webs D06N 7/0049](#)) }

- D06N 7/0063 . { Floor covering on textile basis comprising a fibrous top layer being coated at the back with at least one polymer layer, e.g. carpets, rugs, synthetic turf }

WARNING

Groups [D06N 7/00C-D06N 7/0084](#) are not complete, pending reorganisation.
See also [D06N 7/0036](#)

- D06N 7/0065 . . { characterised by the pile }

WARNING

Groups [D06N 7/0065](#), [D06N 7/0068](#) are not complete, pending reorganisation. See also [D06N 7/006](#)

- D06N 7/0068 . . { characterised by the primary backing or the fibrous top layer }
- D06N 7/0071 . . { characterised by their backing, e.g. pre-coat, back coating, secondary backing, cushion backing }
- D06N 7/0073 . . . { the back coating or pre-coat being applied as an aqueous dispersion or latex }
- D06N 7/0076 . . . { the back coating or pre-coat being a thermoplastic material applied by e.g. extrusion coating, powder coating or laminating a thermoplastic film }
- D06N 7/0078 . . . { the back coating or pre-coat being applied as a hot melt }
- D06N 7/0081 . . . { with at least one extra fibrous layer at the backing, e.g. stabilizing fibrous layer, fibrous secondary backing }
- D06N 7/0084 . . . { with at least one layer obtained by sintering or bonding granules together }
- D06N 7/0086 . . . { characterised by the cushion backing, e.g. foamed polyurethane }
- D06N 7/0089 . . { Underlays }

- D06N 7/0092 . { Non-continuous polymer coating on the fibrous substrate, e.g. plastic dots on fabrics }

- D06N 7/0094 . { Fibrous material being coated on one surface with at least one layer of an inorganic material and at least one layer of a macromolecular material }

- D06N 7/0097 . { Web coated with fibres, e.g. flocked }

D06N 2201/00 Chemical constitution of the fibres, threads or yarns

- D06N 2201/02 . Synthetic macromolecular fibres
- D06N 2201/0209 . . Elastomeric, elastic fibres, e.g. spandex, lycra

- D06N 2201/0218 . . Vinyl resin fibres
- D06N 2201/0227 . . . Aromatic vinyl resin, e.g. styrenic (co)polymers
- D06N 2201/0236 . . . Vinyl halide, e.g. PVC,PVDC,PVF,PVDF
- D06N 2201/0245 . . Acrylic resin fibres
- D06N 2201/0254 . . Polyolefin fibres
- D06N 2201/0263 . . Polyamide fibres
- D06N 2201/0272 . . . Aromatic polyamide fibres
- D06N 2201/0281 . . Polyurethane fibres
- D06N 2201/029 . . Fluoropolymer fibres

- D06N 2201/04 . Vegetal fibres
- D06N 2201/042 . . Cellulose fibres, e.g. cotton
- D06N 2201/045 . . . Lignocellulosic fibres, e.g. jute, sisal, hemp, flax, bamboo
- D06N 2201/047 . . . Wood fibres

- D06N 2201/06 . Animal fibres , e.g hair, wool, silk

- D06N 2201/08 . Inorganic fibres
- D06N 2201/082 . . Glass fibres
- D06N 2201/085 . . Metal fibres
- D06N 2201/087 . . Carbon fibres

- D06N 2201/10 . Conjugate fibres , e.g. core-sheath, side-by-side

- D06N 2201/12 . Fibres being in the form of a tape, strip or ribbon

Guidance heading: <NO TITLE>

D06N 2203/00 Macromolecular materials of the coating layers

- D06N 2203/02 . Natural macromolecular compounds or derivatives thereof
- D06N 2203/022 . . Natural rubber
- D06N 2203/024 . . Polysaccharides or derivatives thereof
- D06N 2203/026 . . . Cellulose or derivatives thereof
- D06N 2203/028 . . . Starch or derivatives thereof

- D06N 2203/04 . Macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds
- D06N 2203/041 . . Polyacrylic
- D06N 2203/042 . . Polyolefin (co)polymers
- D06N 2203/044 . . Fluoropolymers
- D06N 2203/045 . . Vinyl (co)polymers
- D06N 2203/047 . . . Aromatic vinyl (co)polymers, e.g. styrene
- D06N 2203/048 . . . Polyvinylchloride (co)polymers

- D06N 2203/06 . Macromolecular compounds obtained otherwise than by reactions only involving

| | |
|---------------------|---|
| | carbon-to-carbon unsaturated bonds |
| D06N 2203/061 | . . Polyesters |
| D06N 2203/063 | . . Polycarbonates |
| D06N 2203/065 | . . Polyamides |
| D06N 2203/066 | . . Silicon polymers |
| D06N 2203/068 | . . Polyurethanes |
| D06N 2203/08 | . Bituminous material, e.g. asphalt, tar, bitumen |
| D06N 2205/00 | Condition, form or state of the materials |
| D06N 2205/02 | . Dispersion |
| D06N 2205/023 | . . Emulsion, aqueous dispersion, latex |
| D06N 2205/026 | . . Plastisol |
| D06N 2205/04 | . Foam |
| D06N 2205/045 | . . Froth |
| D06N 2205/06 | . Melt |
| D06N 2205/08 | . Microballoons, microcapsules |
| D06N 2205/10 | . Particulate form, e.g. powder, granule |
| D06N 2205/103 | . . Nanoparticles |
| D06N 2205/106 | . . Scrap or recycled particles |
| D06N 2205/12 | . Platelets, flakes |
| D06N 2205/14 | . Fibrous additives or fillers |
| D06N 2205/16 | . Solution |
| D06N 2205/18 | . Scraps or recycled materials (D06N 2205/106 takes precedence) |
| D06N 2205/20 | . Cured materials e.g. vulcanised, cross-linked |
| D06N 2205/22 | . Partially cured |
| D06N 2205/24 | . Coagulated materials |
| D06N 2205/243 | . . by heating, steam |
| D06N 2205/246 | . . by extracting the solvent |
| D06N 2207/00 | Treatments by energy or chemical effects |
| D06N 2207/02 | . using vibration |
| D06N 2207/04 | . using steam (D06N 2205/243 takes precedence) |

| | |
|---------------------|--|
| D06N 2207/06 | . using liquids. e.g. water |
| D06N 2207/08 | . using gas |
| D06N 2207/10 | . using flames |
| D06N 2207/12 | . by wave energy or particle radiation |
| D06N 2207/123 | .. using electromagnetic radiation, e.g. IR, UV, actinic light, laser, X-ray, gamma-ray, micro-wave, radio frequency |
| D06N 2207/126 | .. using particle radiation, e.g. ion, electron, neutron |
| D06N 2207/14 | . Corona, ionisation, electrical discharge |
| D06N 2209/00 | Properties of the materials |
| D06N 2209/02 | . having acoustical properties |
| D06N 2209/025 | .. Insulating, sound absorber |
| D06N 2209/04 | . having electrical or magnetic properties |
| D06N 2209/041 | .. Conductive |
| D06N 2209/043 | .. Insulating |
| D06N 2209/045 | .. Magnetic, paramagnetic |
| D06N 2209/046 | .. Anti-static |
| D06N 2209/048 | .. Electromagnetic interference shielding |
| D06N 2209/06 | . having thermal properties |
| D06N 2209/062 | .. Conductive |
| D06N 2209/065 | .. Insulating |
| D06N 2209/067 | .. Flame resistant, fire resistant |
| D06N 2209/08 | . having optical properties |
| D06N 2209/0807 | .. Coloured |
| D06N 2209/0815 | ... on the layer surface, e.g. ink |
| D06N 2209/0823 | ... within the layer by addition of a colorant, e.g. pigments, dyes |
| D06N 2209/083 | ... Multi-coloured |
| D06N 2209/0838 | .. Bright, glossy, shiny surface |
| D06N 2209/0846 | .. Matt, dull surface |
| D06N 2209/0853 | .. Opaque |
| D06N 2209/0861 | .. Transparent |
| D06N 2209/0869 | .. Translucent |
| D06N 2209/0876 | .. Reflective |
| D06N 2209/0884 | .. Refractive |
| D06N 2209/0892 | .. Luminescent, fluorescent, phosphorescent |
| D06N 2209/10 | . having mechanical properties |

| | | |
|---------------------|-----|--|
| D06N 2209/101 | .. | Vibration damping, energy absorption |
| D06N 2209/103 | .. | Resistant to mechanical forces e.g. shock, impact, puncture, flexion, shear, compression, tear |
| D06N 2209/105 | .. | Resistant to abrasion, scratch |
| D06N 2209/106 | .. | Roughness, anti-slip, abrasiveness |
| D06N 2209/108 | .. | Slipping, anti-blocking, low friction |
| D06N 2209/12 | . | Permeability or impermeability properties |
| D06N 2209/121 | .. | Permeability to gases, adsorption |
| D06N 2209/123 | ... | Breathable |
| D06N 2209/125 | ... | Non-permeable |
| D06N 2209/126 | .. | Permeability to liquids, absorption |
| D06N 2209/128 | ... | Non-permeable |
| D06N 2209/14 | . | having chemical properties |
| D06N 2209/141 | .. | Hydrophilic |
| D06N 2209/142 | .. | Hydrophobic |
| D06N 2209/143 | .. | Inert, i.e. inert to chemical degradation, corrosion resistant |
| D06N 2209/145 | .. | Oleophobic |
| D06N 2209/146 | .. | Soilproof, soil repellent |
| D06N 2209/147 | .. | Stainproof, stain repellent |
| D06N 2209/148 | .. | Superabsorbing |
| D06N 2209/16 | . | having other properties |
| D06N 2209/1607 | .. | Degradability |
| D06N 2209/1614 | ... | Biodegradable |
| D06N 2209/1621 | ... | Water-soluble, water-dispersible |
| D06N 2209/1628 | .. | Dimensional stability |
| D06N 2209/1635 | .. | Elasticity |
| D06N 2209/1642 | .. | Hardnes |
| D06N 2209/165 | .. | Odour absorbing, deodorizing ability |
| D06N 2209/1657 | .. | Printability |
| D06N 2209/1664 | .. | Releasability (adhesive allowing removal of the whole carpet D06N 2213/066 ; releasability between at least two layers of a carpet, rug or synthetic lawn D06N 2213/068) |
| D06N 2209/1671 | .. | Resistance to bacteria, mildew, mould, fungi |
| D06N 2209/1678 | .. | Resistive to light or to UV |
| D06N 2209/1685 | .. | Wear resistance |
| D06N 2209/1692 | .. | Weather resistance |
| D06N 2211/00 | | Specially adapted uses |
| D06N 2211/02 | . | Agriculture |
| D06N 2211/04 | . | Belts |

| | |
|---------------------|--|
| D06N 2211/06 | . Building materials |
| D06N 2211/063 | .. Wall coverings |
| D06N 2211/066 | .. Floor coverings |
| D06N 2211/08 | . Cleaning articles (personal care D06N 2211/24) |
| D06N 2211/10 | . Clothing |
| D06N 2211/103 | .. Gloves |
| D06N 2211/106 | .. Footwear |
| D06N 2211/12 | . Decorative or sun protection articles |
| D06N 2211/122 | .. Curtains |
| D06N 2211/125 | .. Awnings, sunblinds |
| D06N 2211/127 | .. Table cloth |
| D06N 2211/14 | .. Furniture, upholstery |
| D06N 2211/16 | .. Geotextiles |
| D06N 2211/18 | .. Medical, e.g. bandage, prostheses, catheter (medical patches D06N 2211/22 ; medical packaging D06N 2211/20) |
| D06N 2211/20 | .. Packaging |
| D06N 2211/22 | .. Patches, e.g. medical patches, repair patches |
| D06N 2211/24 | .. Personal care |
| D06N 2211/26 | .. Vehicles, transportation |
| D06N 2211/261 | ... Body finishing, e.g. headliners |
| D06N 2211/262 | ... Constructional panels |
| D06N 2211/263 | ... Cars |
| D06N 2211/265 | ... Trains |
| D06N 2211/266 | ... Ships |
| D06N 2211/267 | ... Aircraft |
| D06N 2211/268 | ... Airbags |
| D06N 2211/28 | .. Artificial leather |
| D06N 2211/30 | . Filters |
| D06N 2213/00 | Others characteristics |
| D06N 2213/02 | . All layers being of the same kind of material, e.g. all layers being of polyolefins, all layers being of polyesters |
| D06N 2213/03 | . Fibrous web coated on one side with at least two layers of the same polymer type, e.g. two coatings of polyolefin |
| D06N 2213/04 | . Perforated layer |
| D06N 2213/045 | .. the coating layer does not completely close the openings between the fibres] |
| D06N 2213/06 | . Characteristics of the backing in carpets, rugs, synthetic lawn |

- D06N 2213/061 . . Non-continuous back coating or pre-coat
- D06N 2213/063 . . Porous back coating or pre-coat
- D06N 2213/065 . . Two back coatings one next to the other
- D06N 2213/066 . . having an adhesive on the undersurface to allow removal of the whole carpet, rug or synthetic lawn from the floor, e.g. pressure sensitive adhesive
- D06N 2213/068 . . Releasability between at least two of the layers