

**CPC****COOPERATIVE PATENT CLASSIFICATION****F41G****WEAPON SIGHTS; AIMING** ( optical aspects thereof [G02B](#) )**F41G 1/00**

**Sighting devices** ( for indirect laying of fire [F41G 3/16](#); bombsights [F41G 3/24](#); { structurally associated with laser telemeters [F41G 3/065](#); mounting tubular or beam shaped aiming devices on firearms [F41G 11/001](#) } )

**F41G 1/01**

- . characterised by the visual combination effect of the respective geometrical forms of fore and rear sight ( [F41G 1/42](#) takes precedence )

**F41G 1/02**

- . Foresights

**F41G 1/027**

- .. with lens

**F41G 1/033**

- .. adjustable

**F41G 1/04**

- .. Protection means therefor

**F41G 1/06**

- . Rearsights

**F41G 1/065**

- .. { Protection means therefor ( [F41G 1/04](#) takes precedence ) }

**F41G 1/08**

- .. with aperture; { tubular or of ring form; Peep sights ( [F41G 1/42](#) takes precedence ) }

**F41G 1/10**

- .. with notch

**F41G 1/12**

- .. with line or mark other than notch

**F41G 1/14**

- .. with lens

**F41G 1/16**

- .. Adjusting mechanisms therefor; Mountings therefor

**F41G 1/17**

- ... Convertible sights, i.e. sets of two or more sights brought into the sight line optionally

**F41G 1/18**

- ... Clicking-indicators with spring detents

**F41G 1/20**

- ... coarse and fine

**F41G 1/22**

- ... Friction clamps

**F41G 1/24**

- ... rack-and-pinion; lever; linkwork

**F41G 1/26**

- ... screw

**F41G 1/28**

- ... wedge; cam; eccentric

**F41G 1/30**

- . Reflecting-sights specially adapted for smallarms or ordnance ( reflecting-sights in general [G02B](#) )

**F41G 1/32**

- . Night sights, e.g. luminescent { ( optical aspects of sighting devices [G02B 23/00](#), [G02B 27/00](#) ) }

**F41G 1/34**

- .. combined with light source, e.g. spot-light

**F41G 1/345**

- ... { for illuminating the sights }

**F41G 1/35**

- ... for illuminating the target, { e.g. flash lights }

**F41G 1/36**

- ... with infra-red light source

**F41G 1/38**

- . Telescopic sights specially adapted for smallarms or ordnance ( telescopic sights in general [G02B](#) ); Supports or mountings therefor

- F41G 1/383 . . { Protection means therefor }
- F41G 1/387 . . Mounting telescopic sights on smallarms
- F41G 1/393 . . Mounting telescopic sights on ordnance; Transmission of sight movements to the associated gun
- F41G 1/3935 . . . Transmission of sight movements to the associated gun
- F41G 1/40 . Periscopic sights specially adapted for smallarms or ordnance ( periscopic sights in general [G02B](#) ); Supports or mountings therefor
- F41G 1/41 . . Mounting periscopic sights on smallarms
- F41G 1/42 . Tube sights; Bar sights ; { Combinations of tubular fore and rearsights }
- F41G 1/425 . . { Bar sights }
- F41G 1/44 . Spirit-level adjusting means, e.g. for correcting tilt ; { Means for indicating or correcting tilt or cant }
- F41G 1/46 . for particular applications
- F41G 1/467 . . for bows
- F41G 1/473 . . for lead-indicating or range-finding, e.g. for use with rifles or shotguns
- F41G 1/48 . . for firing grenades from rifles
- F41G 1/50 . . for trench mortars { or for other mortars }
- F41G 1/52 . . for rifles or shotguns having two or more barrels, or adapted to fire different kinds of ammunition, e.g. ball or shot
- F41G 1/54 . Devices for testing or checking; { Tools for adjustment of sights }
- F41G 1/545 . . { Tools for adjustment of sights }
- F41G 3/00** **Aiming means; Laying means** ( sighting-devices [F41G 1/00](#); { mounting tubular or beam shaped aiming devices on firearms [F41G 11/001](#); } determining direction, distance or velocity by use of radio or other waves [G01S](#) ; computer [G06](#) ; aerials [H01Q](#) )
- F41G 3/005 . { with means for correcting the parallax between the sighting means and the muzzle axis }
- F41G 3/02 . using an independent line of sight
- F41G 3/04 . for dispersing fire from a battery; { for controlling spread of shots; for coordinating fire from spaced weapons }
- F41G 3/06 . with rangefinder ( rangefinders per se [G01C](#) )
- F41G 3/065 . . { Structural association of sighting-devices with laser telemeters }
- F41G 3/08 . with means for compensating for speed, direction, temperature, pressure, or humidity of the atmosphere ( measuring [G01](#) )
- F41G 3/10 . with means for compensating for canting of the trunnions
- F41G 3/12 . with means for compensating for muzzle velocity or powder temperature { with means for compensating for gun vibrations }

- F41G 3/14 . Indirect aiming means
- F41G 3/142 .. { based on observation of a first shoot; using a simulated shoot ( training [F41G 3/26](#) ) }
- F41G 3/145 .. { using a target illuminator }
- F41G 3/147 .. { based on detection of a firing weapon }
- F41G 3/16 .. Sighting devices adapted for indirect laying of fire
- F41G 3/165 ... { using a TV-monitor }
- F41G 3/18 .. Auxiliary target devices adapted for indirect laying of fire
- F41G 3/20 .. specially adapted for mountain artillery
  
- F41G 3/22 . for vehicle-borne armament, e.g. on aircraft
- F41G 3/225 .. { Helmet sighting systems }
- F41G 3/24 .. Bombsights
  
- F41G 3/26 . Teaching or practice apparatus for gun-aiming or gun-laying { ( shooting games [A63F 9/02](#); light- or radiation-emitting guns [F41A 33/02](#); targets therefor [F41J](#) ; responders, transponders for radar, sonar, lidar [G01S 13/767](#), [G01S 15/74](#), [G01S 17/74](#) ) }
- F41G 3/2605 .. { using a view recording device cosighted with the gun ( [F41G 3/2616](#) takes precedence ) }
- F41G 3/2611 ... { coacting with a TV-monitor }
- F41G 3/2616 .. { using a light emitting device }
- F41G 3/2622 ... { for simulating the firing of a gun or the trajectory of a projectile }
- F41G 3/2627 .... { Cooperating with a motion picture projector }
- F41G 3/2633 ..... { using a TV type screen, e.g. a CRT, displaying a simulated target }
- F41G 3/2638 ..... { giving hit coordinates by means of raster control signals, e.g. standard light pen }
- F41G 3/2644 .... { Displaying the trajectory or the impact point of a simulated projectile in the gunner's sight }
- F41G 3/265 .... { with means for selecting or varying the shape or the direction of the emitted beam }
- F41G 3/2655 .... { in which the light beam is sent from the weapon to the target }
- F41G 3/2661 .... { in which the light beam is sent from the target to the weapon ( [F41G 3/2638](#) takes precedence ) }
- F41G 3/2666 .... { with means for selecting or varying PRF or time coding of the emitted beam }
- F41G 3/2672 ..... { using PRF adapted receiver }
- F41G 3/2677 ..... { with PRF determination }
- F41G 3/2683 .... { with reflection of the beam on the target back to the weapon }
- F41G 3/2688 ..... { using target range measurement, e.g. with a laser rangefinder }
- F41G 3/2694 ... { for simulating a target ( [F41G 3/2627](#) takes precedence; moving targets per se [F41J 9/00](#) ) }
- F41G 3/28 .. Small-scale apparatus ( relief models or maps [G09B](#) )
- F41G 3/30 .. Gun-laying apparatus
  
- F41G 3/32 . Devices for testing or checking

F41G 3/323      ..      { for checking the angle between the muzzle axis of the gun and a reference axis, e.g. the axis of the associated sighting device ( [testing alignment of axes in general G01B 11/27](#) ) }

F41G 3/326      ..      { for checking the angle between the axis of the gun sighting device and an auxiliary measuring device ( [F41G 3/323](#) takes precedence ) }

**F41G 5/00**      **Elevating or traversing control systems for guns** ( { means for inhibiting firing in a specified direction [F41A 17/08](#) }; gun mountings permitting traversing or elevating movement, e.g. gun carriages, [F41A 27/00](#); computers [G06](#) )

F41G 5/02      .      using only mechanical means for remote control

F41G 5/04      .      using hydraulic means for remote control

F41G 5/06      .      using electric means for remote control

F41G 5/08      .      Ground-based tracking-systems for aerial targets

F41G 5/12      .      acoustically influenced

F41G 5/14      .      for vehicle-borne guns

F41G 5/16      ..      gyroscopically influenced

F41G 5/18      ..      Tracking systems for guns on aircraft

F41G 5/20      ..      for guns on ships

F41G 5/22      ...      to compensate for rolling or pitching

F41G 5/24      ..      for guns on tanks

F41G 5/26      .      Apparatus for testing or checking

**F41G 7/00**      **Direction control systems for self-propelled missiles** ( flight control [B64C](#) , [G05D 1/00](#); { counter-measures against guided missiles [F41H 11/02](#); spin-stabilised missiles [F42B 10/26](#) }; self-propelled or guided missiles having direction control systems only installed aboard [F42B 15/01](#); rocket torpedoes [F42B 17/00](#); marine torpedoes or sea-mines having self-propulsion means [F42B 19/00](#); locating by use of radio or other waves [G01S](#) ; computing aspects [G06](#) )

F41G 7/001      .      { Devices or systems for testing or checking }

F41G 7/002      ..      { target simulators }

F41G 7/003      ...      { for seekers using radio waves }

F41G 7/004      ...      { for infra-red seekers }

F41G 7/005      ..      { for testing benches or sets }

F41G 7/006      .      { Guided missiles training or simulation devices }

F41G 7/007      .      { Preparatory measures taken before the launching of the guided missiles }

F41G 7/008      .      { Combinations of different guidance systems }

F41G 7/20      .      based on continuous observation of target position

F41G 7/22	..	Homing guidance systems
F41G 7/2206	...	{ using a remote control station }
F41G 7/2213	...	{ maintaining the axis of an orientable seeking head pointed at the target, e.g. target seeking gyro }
F41G 7/222	...	{ for spin-stabilized missiles }
F41G 7/2226	...	{ comparing the observed data with stored target data, e.g. target configuration data }
F41G 7/2233	...	{ Multimissile systems }
F41G 7/224	...	{ Deceiving or protecting means ( jamming or anti-jamming of radio-wave systems in general <a href="#">G01S 7/36</a> , <a href="#">G01S 7/38</a> ; defense installations in general <a href="#">F41H 11/02</a> ; chaff dispensers <a href="#">F42B 12/70</a> ) }
F41G 7/2246	...	{ Active homing systems, i.e. comprising both a transmitter and a receiver }
F41G 7/2253	...	{ Passive homing systems, i.e. comprising a receiver and do not requiring an active illumination of the target }
F41G 7/226	...	{ Semi-active homing systems, i.e. comprising a receiver and involving auxiliary illuminating means, e.g. using auxiliary guiding missiles }
F41G 7/2266	....	{ Systems comparing signals received from a base station and reflected from the target }
F41G 7/2273	...	{ characterised by the type of waves }
F41G 7/228	....	{ using acoustic waves, e.g. for torpedoes }
F41G 7/2286	....	{ using radio waves }
F41G 7/2293	....	{ using electromagnetic waves other than radio waves }
F41G 7/24	..	Beam riding guidance systems ( conical-scan beam beacons therefor <a href="#">G01S 1/42</a> )
F41G 7/26	...	Optical guidance systems
F41G 7/263	....	{ Means for producing guidance beams }
F41G 7/266	....	{ for spin-stabilized missiles }
F41G 7/28	...	Radio guidance systems
F41G 7/30	..	Command link guidance systems { homing <a href="#">F41G 7/2206</a> }
F41G 7/301	...	{ Details }
F41G 7/303	....	{ Sighting or tracking devices especially provided for simultaneous observation of the target and of the missile }
F41G 7/305	....	{ for spin-stabilized missiles }
F41G 7/306	....	{ for transmitting guidance signals; ( <a href="#">F41G 7/308</a> takes precedence ) }
F41G 7/308	....	{ for guiding a plurality of missiles }
F41G 7/32	...	for wire-guided missiles
F41G 7/34	.	based on predetermined target position data
F41G 7/343	..	{ comparing observed and stored data of target position or of distinctive marks along the path towards the target }
F41G 7/346	..	{ using global navigation satellite systems, e.g. GPS, GALILEO, GLONASS }
F41G 7/36	..	using inertial references
<b>F41G 9/00</b>		<b>Systems for controlling missiles or projectiles, not provided for elsewhere</b>
F41G 9/002	.	{ for guiding a craft to a correct firing position ( for bombing control <a href="#">F41G 9/02</a> ) }

- F41G 9/004 . . { Training or teaching apparatus therefor }
- F41G 9/006 . . { for torpedo launchers ( torpedo launching-apparatus [F41F 3/08](#) ) }
- F41G 9/008 . { Means for controlling firing of torpedoes; Torpedo directors ( acoustic homing [F41G 7/228](#) ) }
- F41G 9/02 . for bombing control ( bombsights [F41G 3/24](#) )
- F41G 9/025 . . { Training or teaching apparatus therefor }
- F41G 11/00** **Details of sighting or aiming apparatus; Accessories { ( Tools for adjustment of sights [F41G 1/545](#) ) }**
- F41G 11/001 . { Means for mounting tubular or beam shaped sighting or aiming devices on firearms }
- F41G 11/002 . . { Mountings with recoil absorbing means }
- F41G 11/003 . . { Mountings with a dove tail element, e.g. "Picatinny rail systems" }
- F41G 11/004 . . { Mountings with clamping means on the device embracing at least a part of the firearm, e.g. the receiver or a dustcover ( [F41G 1/003](#) takes precedence ) }
- F41G 11/005 . . { Mountings using a pivot point and an anchoring point }
- F41G 11/006 . . . { the device being rotated in a horizontal plane }
- F41G 11/007 . . . { the device being tilted in a vertical plane }
- F41G 11/008 . . . { the device being pivotable about an axis coaxial with the axis of the barrel, e.g. for loading }
- F41G 2700/00** **Torpedoes**
- F41G 2700/005 . Remote steering of torpedoes by means of electric or acoustic waves or otherwise